



INNOVATIVE MEDICAL PACKAGING SOLUTIONS

For Medical Device and
Pharmaceutical Industry

Flexible Forming Webs
Semirigid Forming Webs
Non-forming & Top Webs
Specialty Films
Overwrap Films
Medical Papers
Pouches and Reels

Safety

of Patients is Our Top Priority.

Wipak® Flexible Forming Webs

Product code	Structure	Thickness	Sterilization method	Description
ML P	PP/PA/PE	50-200	EO	High-performance, strong, non-curling film
ML E ML E CS	PE/PA/PE	80-200 130-150	EO, IR	For film-to-film packaging and uncoated paper, CS for coated papers
ML E TF PEEL	PE/PA/PE	70-200	EO	To seal and peel against uncoated Tyvek®
MW G2 MW MW EL	PA/PE	60-100 120-250 120-150	EO, IR	For general use, with wide sealing window and easy machinability, EL for more demanding applications or for down-gauging purposes
OCTASAFE	PA/PE	60-100	EO, IR	Economical PA based forming film for general use
PE	PP/PE	70-180	EO	Most economical forming film for light disposable articles
PPAP PPAP TF PEEL	PP/PA/PP	80-200	Steam	Non-curling and strong multilayer film for steam sterilization, TF PEEL with uncoated Tyvek®
PAE PAE PEEL	PA/PE	70-100	EO, IR	Laminated film with high mechanical strength for easy forming
PAP	PA/PP	60-100	Steam	Laminated PA/PP for steam applications
ESP 3050	PBT/PP	80	Steam	Laminated PBT/PP for steam applications

Wipak® Semirigid Forming Webs

Product code	Structure	Thickness	Sterilization method	Description
MULTIPET (MP)	APET/PE	200-700	EO, IR	For packaging of high-quality medical devices needing extra protection. Especially suitable with Wipak® ESE 1250 Peel and Ecotop
MULTIPET PEEL	APET/PE	200-550	EO, IR	MP with special PE layer for sealing to plastic webs
MP TF PEEL	APET/PE	200-700	EO, IR	Designed to seal and peel with uncoated Tyvek®
NICE	PE/PA/PE	230-540	EO, IR	Sustainable replacement for more rigid films like APET, PETG, PVC

Wipak® Non-Forming and Top Webs

Product code	Structure	Thickness	Sterilization method	Description
ECOTOP	HDPE/PE	85-100	IR	Coextruded, polyolefin based non-curling film for film-to-film packaging
ESE	BoPET/PE	52-62	EO, IR	Laminate, sealable with uncoated Tyvek and other films like MP Peel, also white color
ESE G	BoPET/PE	52-62	EO, IR	Laminated, oriented polyester with PE, sealable with uncoated papers
ESE PEEL	BoPET/PE	52-62	IR	Laminated, oriented film with wide sealing window, also white color
ESP	BoPET/PP	52	Steam	Laminated, oriented film with wide sealing window

Wipak reserves right to make changes at any time without notice.

Innovative
Sterile Barrier Systems

Sustainable

Thinking and Acting

Wipak® Specialty Films

Product code	Structure	Thickness	Sterilization method	Description
Ecoking	PE blend	80-180	IR	Soft and noiseless non-pvc films for urine and drainage bags, available clear and white
Alumed P 75 & P 75 PEEL	BoPET/AL/PE	75	IR	For applications where prevention from drying out or from absorbing moisture is needed

Wipak® Overwrap Films

Product code	Structure	Thickness	Sterilization method	Description
PPP	PP	100, 120, 150, 200	Steam	Bottom, PPP-PPP for standard barrier, tearable overwrap, 100 also available as double wound
OPP 2070 OPP 20100	BoPP/PP	90, 120	Steam	Top, OPP-PPP or in pouches OPP-OPP for standard barrier, tearable overwrap
ESP 105	Laminated BoPET/PP	105	Steam	Top, ESP-PPP 150 Peel, peelable overwrap
PPP 150PEEL	PP	150	Steam	Bottom, standard barrier, peelable overwrap
ESPA XX PEEL	BOPET/PP/PA/EVOH/PA/PP	70, 100	Steam, EO	Nonforming high oxygen barrier film, for pouches, flow pack and FFS
PPAP XX PEEL	PP/PA/EVOH/PA/PP	80-180	Steam, EO	Forming high oxygen barrier film, with ESPA or with itself

Wipak® Medical Papers

Product code	Type	g/m ²	Sterilization method	Description
Gas Paper	Uncoated	60, 70, 80	EO, IR	Economical quality with good seal and peel properties
Gas Paper HS	Uncoated	60, 70	EO, IR	Improved quality with higher seal strength
Gas Paper FourSS	Coated	63	EO, IR	Treated quality as an alternative to coated papers for better economy
Gas Paper LC	Coated	83	EO, IR	Treated quality as an alternative to coated papers for better economy
Steam Paper	Uncoated	60, 70, 80	Steam	Economical quality with good seal and peel properties
Steam Paper HS and HP	Uncoated	60, 70, 70	Steam	Improved quality with higher seal strength
Lacquered paper	Coated	70, 71	EO, IR	Paper for cases where totally clean peel and/or visible opening pattern for visual quality check purposes are required.
Tyvek®	Uncoated	59.5, 75	EO, IR	DuPont Tyvek® 4058B 2FS and Tyvek® 1073B
Coated Tyvek®	Coated	71, 85	EO, IR	Coated Tyvek® qualities

HS = High Seal, LC = Light Coated, HP = High Peel

Wipak® Window Bags

Wipak Medical Device Industry product range includes also a wide selection of Window Bags for EO and irradiation sterilization. Especially suitable for packaging of surgical instrument sets.

Wipak® Medical Industrial Pouches and Reels

A broad range of Wipak® and Steriking® pouches and reels are available for both health care facilities and medical device manufacturers. Standard and tailor made pouches with different designs and sizes incorporating films, medical papers and Tyvek® are produced in our cleanroom production facilities. Pouches may be flat or gusseted and with flat or ribboned seals.



Reliable
Product Performance



Wipak
Your Global Partner
In Advanced Medical Packaging

Please contact us for further information.

WIPAK Oy
P.O. Box 45
Wipaktie 2
FI-15561 Nastola, Finland
Tel: +358-20510 311
Fax: +358-20510 3333
email: ind@wipak.com
www.wipak.com

